

## MOTIP EGR Cleaner

Ord.-no.: 090516

### Technical Information



Dissolve deposits in EGR valves, air intake systems, manifolds and inlet valves with MOTIP EGR Cleaner. EGR cleaner restores the air supply to the engine, improves acceleration whilst reducing exhaust smoke. It is a fast-acting exhaust gas recirculation cleaner and leaves no residue. EGR Cleaner prevents resin deposits. The spray has a 360° valve.

#### Quality & properties

- Fast-acting
- Leaves no residue
- Prevents the deposit of resin
- 360° valve

#### Physical & chemical data

- Base: Mixture of organic solvents
- Colourname: no colour
- Surfaces: EGR valve, Air intake system, Manifold, Inlet valve
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Spray rate: 2 - 3
- Vapour pressure: 3500/20 bar
- Relative density: 0.73 g/ml
- Storage stability: 10 y
- Content: 500 ML

#### How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- For professional use only
- The aerosol should have room temperature.
- Best processing temperature 10 to 25°C.
- Before use, shake the aerosol.
- Observe the instructions of the car manufacturer
- Loosen the hose between turbo and air intake system. Start engine and allow to run at approximately 2000 rpm.
- Spray directly into inlet of manifold by repeatedly, briefly pressing the nozzle till the engine runs more smoothly.
- Install the hose.

#### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

#### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

#### Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

For any further technical questions call our hotline +31 (0) 561 69 44 00 from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of June 10, 2022 – This release replaces all eventually earlier issued versions.